

1 Identification

- **Product identifier**
- **Trade name:** PROFLEX MB-25 PART A
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Details of the supplier of the safety data sheet**
- **Manufacturer:**
PROFLEX PRODUCTS, INC.
2826 Broadway Center Blvd.
Phone 877-577-6353
Fax 863-937-9624

2 Hazard(s) identification

- **Classification of the substance or mixture**



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.



GHS07

Skin Irrit. 2 H315 Causes skin irritation.
 Eye Irrit. 2A H319 Causes serious eye irritation.
 Skin Sens. 1 H317 May cause an allergic skin reaction.

- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**



Irritant

Irritating to eyes and skin. May cause sensitization by skin contact.



Dangerous for the environment

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

- *Information concerning particular hazards for human and environment:*
The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- *Classification system:*
The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

- **Label elements**

- **Labelling according to EU guidelines:**

Observe the general safety regulations when handling chemicals.
 The product has been classified and marked in accordance with directives on hazardous materials.

(Contd. on page 2)

Trade name: PROFLEX MB-25 PART A

(Contd. of page 1)

- Code letter and hazard designation of product:



Xi Irritant
N Dangerous for the environment

- Hazard-determining components of labeling:

Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane
Bisphenol F- Epoxidharz
Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

- Risk phrases:

Irritating to eyes and skin.
May cause sensitization by skin contact.
Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

- Safety phrases:

Do not breathe gas/fumes/vapour/spray.
Avoid contact with skin.
In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
After contact with skin, wash immediately with plenty of water
Do not empty into drains.
Wear suitable gloves and eye/face protection.
Use appropriate container to avoid environmental contamination.
This material and its container must be disposed of as hazardous waste.

- Special labeling of certain preparations:

Contains epoxy constituents. See information supplied by the manufacturer.

- **Classification system:**

- **NFPA ratings (scale 0 - 4)**



Health = 2
Fire = 0
Reactivity = 0

- **WHMIS-ratings (scale 0 - 4)**



Health = 2
Fire = 0
Reactivity = 0

- **Results of PBT and vPvB assessment**

- PBT: Not applicable.
- vPvB: Not applicable.

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**

- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane	50-100%
9003-36-5	Bisphenol F- Epoxidharz	10-25%
68609-97-2	Oxirane, mono[(C12-14-alkyloxy)methyl] derivs.	10-25%
108-32-7	Polypropylencarbonat	2.5-10%

(Contd. on page 3)

Trade name: PROFLEX MB-25 PART A

(Contd. of page 2)

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

- **After eye contact:**

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- **After swallowing:** Do not induce vomiting; immediately call for medical help.

- **Information for doctor:**

· *Most important symptoms and effects, both acute and delayed* No further relevant information available.

· *Indication of any immediate medical attention and special treatment needed*

No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**

- **Suitable extinguishing agents:**

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

Use fire fighting measures that suit the environment.

- **Special hazards arising from the substance or mixture** No further relevant information available.

- **Advice for firefighters**

- **Protective equipment:** No special measures required.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation

Wear protective clothing.

- **Environmental precautions:**

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- **Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

- **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

US

(Contd. on page 4)

Trade name: PROFLEX MB-25 PART A

(Contd. of page 3)

7 Handling and storage

- **Handling:**
- **Precautions for safe handling**
 Ensure good ventilation/exhaustion at the workplace.
 Prevent formation of aerosols.
 Avoid contact with the eyes.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- *Requirements to be met by storerooms and receptacles:* No special requirements.
- *Information about storage in one common storage facility:* Not required.
- *Further information about storage conditions:* Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- *Additional information:* The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- *General protective and hygienic measures:*
 Keep away from foodstuffs, beverages and feed.
 Immediately remove all soiled and contaminated clothing.
 Wash hands before breaks and at the end of work.
 Avoid contact with the eyes and skin.
- *Breathing equipment:*
 Not necessary if room is well-ventilated.
 Use suitable respiratory protective device in case of insufficient ventilation.
- *Protection of hands:*



Protective gloves

- *Material of gloves* Strong gloves
- *Eye protection:*



Tightly sealed goggles

- *Body protection:* Protective work clothing

US

(Contd. on page 5)

Trade name: PROFLEX MB-25 PART A

(Contd. of page 4)

9 Physical and chemical properties

· Information on basic physical and chemical properties

· General Information

· Appearance:

Form: Fluid
 Color: According to product specification

· Odor: Characteristic
 · Odour threshold: Not determined.

· pH-value: Not determined.

· Change in condition

Boiling point/Boiling range: 90 °C (194 °F)

· Flash point: 142 °C (288 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature:

Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

· Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.
 Upper: Not determined.

· Vapor pressure: Not determined.

· Density at 20 °C (68 °F): 1.13 g/cm³ (9.43 lbs/gal)

· Relative density: Not determined.

· Vapour density: Not determined.

· Evaporation rate: Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic at 20 °C (68 °F): 1000 mPas
 Kinematic: Not determined.

· Solvent content:

Organic solvents: 0.0 %
 VOC Content: 3.90 %

· Other information: No further relevant information available.

10 Stability and reactivity

· Reactivity

· Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· Possibility of hazardous reactions: No dangerous reactions known.

· Conditions to avoid: No further relevant information available.

· Incompatible materials: No further relevant information available.

(Contd. on page 6)

Trade name: PROFLEX MB-25 PART A

(Contd. of page 5)

- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity:**

- *LD/LC50 values that are relevant for classification:*

25068-38-6 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane

Inhalative	LC50	1.5 mg/l (Fisch)
------------	------	------------------

- *Primary irritant effect:*

- *on the skin:* Irritant to skin and mucous membranes.

- *on the eye:* Irritating effect.

- *Sensitization:* Sensitization possible through skin contact.

- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- *Carcinogenic categories*

- *IARC (International Agency for Research on Cancer)*

None of the ingredients is listed.

- *NTP (National Toxicology Program)*

None of the ingredients is listed.

- *OSHA-Ca (Occupational Safety & Health Administration)*

None of the ingredients is listed.

12 Ecological information

- **Toxicity**

- **Aquatic toxicity:**

25068-38-6 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane

EC50	11 mg/l (Selenastrum capricornutum) (72h)
------	---

	1.8 mg/l (Daphnia magna Wasserfloh) (48h)
--	---

9003-36-5 Bisphenol F- Epoxidharz

EC50	1.8 mg/l (Algen- Navicula seminulum) (72h)
------	--

	2.55 mg/l (Daphnia magna Wasserfloh) (48h)
--	--

- **Persistence and degradability** No further relevant information available.

- **Behavior in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Toxic for fish

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

(Contd. on page 7)

Trade name: PROFLEX MB-25 PART A

(Contd. of page 6)

- Toxic for aquatic organisms
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:**
Liquid product must not be disposed of together with household garbage. Do not allow product to reach sewage system. If product has aged or solidified conventional means of disposal are acceptable.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

14 Transport information

- **Environmental hazards:**
- **Marine pollutant:** Yes
- **Special precautions for user** Not applicable.
- **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** Not applicable.

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- *Sara*

 · *Section 355 (extremely hazardous substances):*

None of the ingredient is listed.

 · *Section 313 (Specific toxic chemical listings):*

None of the ingredients is listed.

 · *TSCA (Toxic Substances Control Act):*

All ingredients are listed.

 · *Proposition 65*

 · *Chemicals known to cause cancer:*

None of the ingredients is listed.

 · *Chemicals known to cause reproductive toxicity for females:*

None of the ingredients is listed.

 · *Chemicals known to cause reproductive toxicity for males:*

None of the ingredients is listed.

 · *Chemicals known to cause developmental toxicity:*

None of the ingredients is listed.

 · *Canadian Ingredient disclosure list*

 · *Limit 0,1%*

None of the ingredients is listed.

(Contd. on page 8)

Trade name: PROFLEX MB-25 PART A

(Contd. of page 7)

 · *Limit 1%*

None of the ingredients is listed.

 · *Cancerogenity categories*

 · *EPA (Environmental Protection Agency)*

None of the ingredients is listed.

 · *TLV (Threshold Limit Value established by ACGIH)*

None of the ingredients is listed.

 · *MAK (German Maximum Workplace Concentration)*

None of the ingredients is listed.

 · *NIOSH-Ca (National Institute for Occupational Safety and Health)*

None of the ingredients is listed.

 · **Product related hazard informations:**

 · *Hazard symbols:*

The product has been classified and marked in accordance with directives on hazardous materials.

 · *Safety phrases:* Keep out of the reach of children.

 · **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

 · **Department issuing SDS:** Technical Department

 · **Contact:** PROFLEX TECHNICAL SERVICES, 877-577-6353, technical@proflex.us

 · **Date of preparation / last revision** 04/23/2015 / -

 · **Abbreviations and acronyms:**

Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Skin Sens. 1: Sensitisation - Skin, Hazard Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2